KOHLER





WHY KOHLER















Life without labor is guilt. Labor without art is brutality.

- John Ruskin


People have been turning to Kohler for help with kitchen design for more than a century. The reputation we've earned for innovative design and uncompromising quality is certainly a large part of the reason why. But perhaps even more important is the holistic approach we take to creating kitchen sinks and taps.

We study how people work in the kitchen, research material and color trends, and develop technologies to enhance efficiency.

Our goal isn't just to manufacture beautiful sinks and taps – it's to bring you products that streamline your workflow, complement your appliance and surface choices, and make your kitchen a comfortable, easy place to be.

Introducing

Cairn® Kitchen Sinks



Soft French Curves

Offers transitional style to suit contemporary and traditional kitchens alike


Deep Basin

Provides a generous workspace

Rich, deep and vibrant color palette


Complements every kitchen






Neoroc™

- Exceptionally durable Neoroc[™] composite material
- As Solid as a rock
- You can rest assured it will stand up to years of kitchen tasks.





What is it made of?

Fine quartz particles (filler) and Strong Epoxy Resin

MORE ADHESIVE = STRONGER SINK

Competitive Composites

Quartz Filler



KOHLER's **proprietary** matte composite kitchen sink material in India



2x Impact Resistant

Absorbs the impact of falling pots and pans



1.4x Heat Resistant

Withstands temperatures up to 398°C




Stain Resistant

Easy to clean; just give it a quick swipe with a sponge



Product Range



Features



Timeless Elegance

Celebrates a sleek and short apron which adds a timeless elegance to your kitchen



Intentionally Rustic

Lived-in, and full of patina.



Minimalist Vibes

At its core, it's meant to replicate the minimalist vibes of the antique homes that once dotted farms across the country.



Apron Front

It also features an exposed, front-facing side that's comfortable to lean against and prevent water damage to cabinets



Self-Trimming® apron

The Self-Trimming® apron design makes it easy to retrofit existing 36" cabinetry



Increased Workspace

Offset drain increases workspace in the sink and storage space underneath.




Cairn® Undermount | Double Offset Sink



Slim Divide

Creates more space.


Allows complete submersion of pots and pans.



Versatile

Large/medium bowls

Allows large bowl to be installed on the right or left



Length: 851 mm

Width: 465 mm

Height: 257 mm

Rear Drain


Cairn® Undermount Double Equal Sink



Slim Divide


Creates more space.

Allows complete submersion of pots and pans.



Functional Double Bowl

Allows you to prep as well as rinse at the same time




Length: 851 mm

Width: 465 mm


Height: 257 mm

Rear Drain





Cairn® Undermount Single-bowl Sink



Length: 851 mm

Width: 465 mm


Height: 257 mm

Offset Drain





Cairn® Undermount Single bowl Sink



Length: 622 mm Width: 465 mm

Height: 259 mm

Cairn® Entertainment Sink




Chilling and Serving

Specifically designed for chilling and serving drinks.




Luxurious Design

Aesthetic appeal suitable for showcasing



Versatile Placement

Adaptable beyond the kitchen, suitable for living rooms, outdoors, and kitchen islands.




Length: 394 mm

Width: 394 mm

Height: 257 mm







Kitchen Sink Accessories

SKU	9000-CP	7400	8801-CP	8799-CP	11352-CP	77804T-NA
IMAGE						
DESCRIPTION	P TRAP 1-1/2 X 1-1/2	SINK STRAINER	Duostrainer® Sink drain and strainer with tailpiece	Duostrainer® Sink drain and strainer basket, less tailpiece	Disposal flange with stopper for sinks with garbage disposal unit only	KOHLER EASY CLEAN DOUBLE LAYERS DUO STRAINER WITH LID
FEATURES	1-1/2-Inch x 1-1/2-Inch Cast brass construction Adjustable rotation on tube outlet Slip-joint inlet Cleanout plug Flange	4.38 x 3.3 x 2.13 inches Fits sinks with standard 3 1/2 or 4 inch outlet. Removable basket strainer with stopper for a tight seal Stainless steel.	Fits sinks with standard 3-1/2" (89 mm) or 4" (102 mm) outlet Solid-brass construction for durability and reliability Removable basket strainer with open/close stopper Tailpiece included Quick-locking installation system	4-1/2" (114 mm) x 2-7/8" (73 mm) Solid-brass construction, For sink installations with 3-1/2" (89 mm) or 4" (102 mm) outlet • Removable basket strainer with open/close stopper that seals tightly • Less tailpiece	Solid-brass construction Fits standard garbage disposal units (4-1/2-inch diam., 1-5/8-inch depth).	Stainless Steel Fits sinks with standard 3.75 or 4 inch outlet
MRP	31000	1300	10100	11000	6000	2950
SEGMENT	LUXURY	PREMIUM	LUXURY	LUXURY	LUXURY	LUXURY

^{*} All above strainers are compatible with Kohler Kitchen Sinks

^{**} Recommended Kohler Deck Mounted Kitchen Faucets



Kohler Test Standards



ASME A112.19.3-2008/CSA B45.4-08



10 years warranty

TESTS CONDUCTED

SURFACE **EXAMINATION**

(visual from 610 mm(2ft)) WARPAGE

(Dimension Distortion check by feeler gauge)

FIELD INSTALLATION

FLANGE

(Dia. 32 mm steel ball-225 gm from Height 600mm on various locations)

LOAD

LOAD TEST POINT IMPACT **FOR SINKS**

> (292 lbs. load on center bottom for 2 min.)

STAIN RESISTANCE TEST

(11 agents: Dark color liquid or juice drop & remains for 16 Hr. check rating on basis cleaning)

IGNITABILITY TEST

(Blue flame touch to the Surface for 30 Sec.)

CIGARETTE TEST

(Lighted Cigarette touch to the Surface for 2 min)

CHEMICAL RESISTANCE

(Drop reagents on Surface & remains for 16 Hr. & wash with water & blue or black ink dry it & check visually)

THERMAL SHOCK RESISTANCE

(Hot water 30sec immediate Cold water 30 sec. repetitive cycles then check visually)

COLOR **FASTNESS**

SCRATCH RESISTANCE

(Mohs' Hardness Picks & Scratch Tester

OVERFLOW TEST

(flow rate)

KNIFE DROP

(28 gm knife edge 0.635 mm drop from Height 600 mm)

SKILLET DROP

(Skillet-pan Dia. 270mm-2kg drop from Height 300 mm

VIBRATION

(Use imbalance grinder to create vibration 30 sec. & then 1 min.of for one cycle after 1000 cycle check visually leakage)

HEATED PAN

(Heat disc at 185°C for 15 min. put on sink area for 10 min after 3 cycle check visually)

HOT WAX TEST

(Heat wax at 185°C for 15 min. put on sink area after 30 min check visually)

